LEDMAN

Household UHD COB Giant Video Wall

LQ135XPro

Ver:20250422

sales@ledman.com

86-755-86139688

Building 8,Block 2,Baimang
Baiwangxin Industrial Park,Xili Area,
Nanshan District,Shenzhen, P.R.China





Product Introduction

COB Mirco LED

Based on COB Mirco LED display technology.LEDPLAY series - video wall home theater is produced for super protection against water, dust, mold, collision, static, and mildew.

Super size

Elevate your home entertainment with Ledman home video wall, which offers enhanced visual experiences, meeting the demands of high-end preferences.

Quick installation

Assemble video wall for the home is simplified through module splicing, offering easy entry and installation, ultimately saving both time and labor.

Ultra high definition

Video wall for home with high contrast, high refresh rate, wide color gamut 120% DC1-P3 (coverage area ratio), and viewing angle present details and brightness of images.

Super eye care

The anti-blue light, self-illumination, and eye protection modes of Ledman residential video wall ensure optimal eye care for your family.

Hypersound

Built-in sound configuration of up to 4 channels, a total of 6 speakers hifi-level sound.

sales@ledman.com
86-755-86139688
Building 8,Block 2,Baimang
Baiwangxin Industrial Park,Xili Area,
Nanshan District,Shenzhen, P.R.China

Specification

Product Model		LQ135XPro
Screen parameters	Screen Size	135 inches
	Screen Type	Flip chip COB
	Screen Resolution	3200*1800
	Brightness (cd/㎡)	600
	Viewing angle (horizontal/vertical)	170°/170°
	Color Gamut (DCI-P3)	120%
	Front Protection Level	IP65 (Front)
	Maintenance Method	Front Maintenance
System Platform	Hardware Configuration	DDR4: 8.5GB / EMMC: 128GB
	Built-in System	Android
	Android System Version	Android 9.0
Human Machine Interaction	Wireless Casting	Support
	Remote Control	Support
	Voice Remote Control	Support
	Far-field Control	Support
	Adjustable Camera	Support
Image and Sound	Microphone Array	DTS M6 Decoding
	Video Call	Supports 8K video playback or 4K 60Hz 10-bit refreshi rate,MEMC motion compensation and HDR.
	Internal Speaker	Midrange 2*15 W， Bass 2*18W

sales@ledman.com
86-755-86139688
Building 8,Block 2,Baimang Baiwangxin Industrial Park,Xili Area, Nanshan District,Shenzhen, P.R.China

Functional Interfaces	HDMI IN	HDMI 2.0*1、HDMI 2.1(ARC)*1
	USB Interface	USB2.0*1 、USB3.0*1
	Network Interface	LAN*1
	SPDIF	Fiber Optic*1
	Buit-in WiFi	2.4G/5G Dual-band,Supports WIFI6
	Buit-in Bluetooth	BT5.2
	Headphone Output	Earphone*1
	Central Connector	RS232*1
Electrical Parameters	Peak Power(W)	900
	Average Power (W)	550
	Standby Power (W)	0.5
	Power Supply	100-240V AC (50/60Hz)
Accessory Requirements	Remote Control	Infrared + Bluetooth
	Wall Mount	Included
	Mobile Stand	Optional
Dimensions and Weight	Dimensions (mm, without mount)	3012*1699.5*38
	Giant Screen Playback Unit Dimensions(mm)	1563.5*197*210.5
	Screen Weight (KG)	130
	Total Weight (KG)	146

Copyright Notice

The right to interpret this product specification belongs to Ledman Optoelectronic Co., Ltd.

No other individual or organization may extract, reproduce, copy, translate, edit or publish the specification in any form without the signed consent of Ledman Optoelectronic Co., Ltd.

The content of this product specification is subject to modification without prior notice.

sales@ledman.com
86-755-86139688
Building 8,Block 2,Baimang Baiwangxin Industrial Park,Xili Area, Nanshan District,Shenzhen, P.R.China