UNIVIEW LED

LED poster

Series

LED Poster Series Ultra-Slim Smart All-in-One Display Solution



Clean, Elegant, and Space-saving

Featuring an ultra-slim 33.6 mm body and a sleek, integrated form, it blends effortlessly into diverse high-end commercial applications.





Ultra-Clear Visuals, Outstanding Details

Ultra-high resolution combined with 97%+ color gamut brings every image to life—sharp, vivid, and rich in detail.

Seamless Splicing, Boundless Viewing

Ultra-fine-pitch LED technology eliminates visual gaps, while enables rapid multi-screen splicing to create a seamless, large-format visual experience.








Smart Brightness, Perfect for Any Scene

From soft indoor lighting to intense storefront brightness, intelligent adjustment ensures clear, impressive visuals in every scenario.

Wide Viewing Angle, Clear from Any Side

165° ultra-wide viewing angle ensures true-to-life colors from all directions.





Front Maintenance, Easy & Hassle-free

Magnetic foldable structure enables front maintenance, eliminating the need for rear access and enabling truly “zero-interruption maintenance.”

Flexible Folding, Dual-side Display

The screen can be easily folded to form a dual-side display. Both sides can show identical or different content, ideal for atriums, exhibition booths, and other multi-angle viewing scenarios—doubling your visual impact.





Smartphone Control, Effortless Management

Control your display anytime, anywhere via a dedicated smartphone app. Upload content, schedule playbacks, and operate the screen with ease for flexible and efficient management.

Flexible Mobility, Smooth Turnaround

Equipped with silent casters for easy movement and positioning. The entire screen supports half-folding, making transport, storage, and rapid deployment simple and convenient.







Versatile Ports, Free Expansion

Featuring HDMI I /O, audio, and cascade ports, the display effortlessly connects to PCs, cameras, streaming media, and multiple signal sources.



Smart Cloud Control, Efficient Management

Easily manage multiple screens from anywhere—publish content with a single click and monitor status in real time, and set up customized timed playback schedules for fully automated, 24/7 information delivery.

Protectively package, Convenient Transport

Custom flight cases with integrated cushioning provide reliable protection, keeping your equipment safe throughout transport, handling, and storage.






All-Scenario Applications, Empowering Every Industries

Ideal for various commercial scenarios—from retail stores, Tproduct showcases to launch events, transportation centers, and meetings.











Parameters

Type	Indoor
Model	LED poster 1.56（COB）
Pixel Pitch (mm)	1.5625
LED Configuration	1R1G1B-COB
Adjustable Brightness (cd/m²)	600
Module Size (WxH mm)	613.9x2031.9
Module Resolution	384*1296
Refresh Rate (Hz)	3840
Viewing Angle (H/V)	165°/165°
Grayscale (Bit)	13
Cabinet Size (WxHxD mm)	600x337.5x33.6
Cabinet Weight (kg/panel)	49.5kg
Power Consumption (Max/Avg W/m²)	730/245

* Technical specifications are subject to change without prior notice. Please contact our sales representative for the latest information.

Taking Notes: